

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/553,181	10/13/2005	Wolfgang Heukamp	MY-30PCT	2224
<sup>40570</sup> FRIEDRICH K	7590 04/16/200 UEFFNER	7	EXAMINER	
	AVENUE, SUITE 91	0	LE, HUYEN D	
NEW YORK, NY 10017			ART UNIT	PAPER NUMBER
			3751	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MOI	NTHS	04/16/2007	PAPER	

# Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/553,181	HEUKAMP, WOLFGANG			
Office Action Summary	Examiner	Art Unit			
	Huyen Le	3751			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period was precised to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirr vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
<ul> <li>1) ⊠ Responsive to communication(s) filed on 13 October 2005.</li> <li>2a) ☐ This action is FINAL.</li> <li>2b) ☒ This action is non-final.</li> <li>3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.</li> </ul>					
Disposition of Claims					
4)  Claim(s) 1-14 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-14 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the contract of the contract	epted or b) objected to by the bed on the bed on by the bed on the bed on is required if the drawing(s) is object to be described on the bed on	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119		•			
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)  1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10/13/2005.   Page only  Attachment(s) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date  5) Notice of Informal Patent Application 6) Other:					

Application/Control Number: 10/553,181 Page 2

Art Unit: 3751

### **DETAILED ACTION**

#### Information Disclosure Statement

1. The information disclosure statement filed 10/13/2005 fails to comply with 37 CFR 1.98(a)(1), which requires the following: the information disclosure statement is being submitted only one page while it indicates sheet 1 of 2. Sheet 2 is missing.

## Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall coinclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. Regarding claim 1, the phrase "for example" in line 3 renders the claim indefinite because it is unclear whether the limitation(s) following the phrase are part of the claimed invention. See MPEP § 2173.05(d).
- 5. Claim 6 recites the limitation "the inner housing (6)" in line 3. There is insufficient antecedent basis for this limitation in the claim.

# Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

7. Claims 1 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lorscheidt (4,781,483) in view of Moss (978,189).

The Lorscheidt reference discloses a stick dispenser comprising a stick-shaped housing 2 with an upper dispensing outlet 4, a closure cap 11 that seals the dispensing outlet 4 airtight by means of a sealing lip 16, and a feeding plunger 5 able to move axially inside the housing 2, and the closure cap 11 is designed with a double wall with an inner cap 17 that can be axially displaced relative to the closure cap 11.

Although Lorscheidt does not a lock mechanism for allowing the plunger moving in one direction, attention is directed to the Moss reference which teaches another stick dispenser comprising a projection 5 around the plunger 6 and serrations 4 around the housing 1 of which allow the plunger 6 to move only one direction.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide serrations and projections on the housing 2 and plunger 5 of the Lorscheidt dispenser for allowing the plunger 5 to only move toward the outlet.

#### Conclusion

- 8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bouix teaches a cap for a stick dispenser having a movable inner cap.
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huyen Le whose telephone number is 571-272-4890. The examiner can normally be reached on Monday-Friday from 9:00 am to 5:00 pm.

Application/Control Number: 10/553,181

Art Unit: 3751

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ruger La Huyen Le

Primary Examiner Art Unit 3751

HL